

# HalpyBOT Command and Fact Listing

## What is HalpyBOT?

HalpyBOT (v1.3) is our First-Generation IRC Assistant, designed to help Seals get limpets on target faster and more painless than ever before. It comes with a lot of features, and is easy to build upon with new features. Most notably for Seals, it powers our custom commands. Some of them are listed below!

## Commands vs Facts

You may see two different terms thrown around a lot - Commands and Facts. In short, Commands do something while Facts are just spit out as programmed. If the response needs to be calculated, it's a command. If it's pre-programmed recital, it's a fact.

## HalpyBOT Command Listing

Below are the HalpyBOT commands that may be used by Seals.

### EDSM Commands

Command	Aliases	Arguments	Use
!lookup	!syslookup	<--new> [System Name]	Check if a system exists in EDSM
!locate	!cmdrlookup, !locatecmdr	<--new> [CMDR Name]	Check if a CMDR exists and shares their location in EDSM
!distance	!dist	<--new> [point 1] : [point 2]	Check the distance between two points in EDSM
!landmark		[EDSM Valid Location]	Check if a given point is nearby a given Landmark System
!dssa		[EDSM Valid Location]	Check for the closest DSSA carrier to a given location.

For Distance, Landmark, and DSSA commands, either a valid System Name or CMDR Name can generally be used.

### Dispatcher Commands

Command	Aliases	Arguments	Uses	Requirements
---------	---------	-----------	------	--------------

!mancase	!manualcase	[Case Info]	Used to start a new Manual Seal Case by Dispatchers	Drilled Seals Only, and run in a channel.
!manfish	!manualfish	[Case Info]	Used to start a new Manual Kingfisher Case by Dispatchers	Drilled Seals Only, and run in a channel.
!tsping			Used to ping the "Trained Seal" role in the Seal discord.	Drilled Seals Only, and run in a channel.

[Case Info] means that any text after the command will be passed as the case information.

Abuse of tsping will result in heavy disciplinary action.

## Delayed Case Commands

See the commands for the Delayed Case Board [Here](#).

## Utility Commands

Command	Arguments	Uses	Requirements
!ping		Check to see if the bot is responding to commands.	
!utc		Check for the current In Game Time and Date	
!year		Check for the current In Game Year	
!whois	[name]	Check the user information for registered name	Must be a registered user, and run in DMs with HalpyBOT.
!whoami		Check the user information on yourself	Must be a registered user, and run in DMs with HalpyBOT.
!forcejoin	[user] [channel name]	Force a user to join an allowed channel in IRC.	Drilled Seals Only, must be run in a channel.

## Common Commands

Below are all of the registered Commands in HalpyBOT.

Fact	Aliases	Use
!about		Provide information about HalpyBOT
!bacon		A fun little link - who doesn't love Bacon!
!beacon	!bc	How to turn on a Wing Beacon
!cbinfo		To gather Code Black information from a manual case.
!cbmining		Information about how mining works for clients in Code Black cases.

!chatter		If Repair Requests has too much side conversation happening, to redirect Seals to better places.
!clientinbob		For use when a Case is in the Seal Bob, and the channel must shift to a rescue focus.
!clientinfo		To gather case information from a manual case.
!cmdlist		This page!
!drillpw		Paperwork link for Drill cases.
!escapeneutron		Information and guides on how to escape a Neutron Cone
!fuel		Redirect a Client to the Fuel Rats
!go		Assign Seals to a case
!help		Links to resouces should a CMDR need help
!highg		Prepare a Client to take off from a High G planet.
!join		Provide a user information on how to join the Hull Seals
!kfbeacon	!srvbeacon	Request a Client turn on their Wing Beacon from their SRV
!nickserv		How to authenticate with NickServ
!paperwork	!pw, !clear, !ppwk	Send a Seal their paperwork link.
!pcfr		Request a Client add their Seals to their Friends List.
!prep		Get a Client ready for their Seal's arrival.
!psfr		Request a Client add their Seals to their Friends List.
!rebootrepair	!rr	Provide instructions on what a reboot and repair cycle is, and what it does
!securechannel		For when important Case info is being discussed in the Seal Bob, and other topics should wait until the case is over.
!stuck		To gather Kingfisher information from a manual case.
!synth		Instructions on how to synth a new life support refill
!tos		A quicklink to our TOS. If this is used, a hammer is likely to follow.
!verify		Request a suspect Client provide an image or other information to help validate their repair request. If used, immediately inform a staff member.
!welcome		Welcome a Client and get them ready for a Dispatcher's arrival
!wing	!wr	Request a Client add their Seals to their wing.
!xbfr		Request a Client add their Seals to their Friends List.

You have to be a registered (+r) user in our IRC in order to use these facts.

Revision #7

Created 21 October 2020 02:19:06 by Rixxan

Updated 27 August 2021 01:36:12 by DrebinOmega